

Vikan hygiene system®

# Food safety with the Vikan hygiene system®

Customers and authorities are making ever-increasing demands on companies in the food sector with respect to documenting the factors, which affect food safety. And this certainly applies to hygiene.

Hygiene depends strongly on cleaning, which has to be much more than just efficient. It must also ensure that bacteria from one department is not moved to another department where they could ruin a finished product. This critical requirement is one of the reasons why we developed the Vikan hygiene system®.

We are proud of our Vikan hygiene system® – the only professional hygiene cleaning system to combine efficiency, ergonomics, design and safety in one unit.

All products in the Vikan hygiene system® are available in five colours. Some of them in six colours. Vikan's colour coding system can therefore be used to optimise hygiene in your company. By dividing the company into as many as six colour zones, you can avoid having tools moved from one department to another, and transferring bacteria in the process.

Vikan also make cleaning tools for every conceivable purpose. The Vikan hygiene system® offers the only complete range to cover all manual cleaning requirements. We call it Vikan Professional Cleaning Solutions because careful consideration was given to every single detail throughout the entire process from development to the user's actual situation.

Choose cleaning tools from Vikan and you will be assured of quality. All products are made from raw materials, which comply with the U.S. Food and Drug Administration's strict quality requirements. Vikan A/S possesses ISO 9001 quality certification and ISO 14001 environmental certification.

Read more about the Vikan hygiene system® on our website, where you can also see how to introduce full colour management into your own company or department.

Yours sincerely,

Hans R. Holst,  
General Manager  
Vikan A/S

DS/EN ISO 9001

Vikan A/S has a quality assurance system whose object is to ensure that Vikan A/S's products always comply with specifications.

DS/EN ISO 14001

Vikan A/S has an environmental management system whose object is to ensure that Vikan A/S can guarantee our customers products made in an environmentally responsible manner.

# Contents

	Page		Page
Colour control . . . . .	4-5	Handles . . . . .	19-20
Brooms . . . . .	6	Shovels . . . . .	21
Floor and wall scrubs. . . . .	7	Scoops and dustpans . . . . .	22
Hand brushes . . . . .	8-10	Wall brackets . . . . .	23
Tank brushes, wall brushes and nylon pads . . . . .	11	Water guns, couplings and hoses . . . . .	24
Baker's brushes and pastry brushes . . . . .	12	Resin products . . . . .	25
Tube and bottle cleaners . . . . .	13-14	Maintenance and replacement instruction . . . . .	26
Scrapers . . . . .	15-18	Index . . . . .	27

**Vikan A/S**  
Rævevej 1  
7800 Skive  
Denmark  
Tel.: +45 9614 2600  
Fax: +45 9614 2655  
vikan@vikan.com  
www.vikan.com

**NiTO A/S**  
Postboks 263  
H.C. Ørstedsvvej 4  
6100 Haderslev  
Denmark  
Tel.: +45 7452 6363  
Fax: +45 7453 2220  
nito@nito.dk  
www.nito.com

**Vikan UK Limited**  
Unit 23, Ash  
Kembrey Park, Swindon  
Wiltshire SN2 8UN  
UK  
Tel.: +44 1793 41 11 30  
Fax: +44 1793 41 11 60  
sales@vikan.co.uk  
www.vikan.co.uk

**Vikan France S.A.S.**  
Parc d'Activités  
de Limonest  
SILIC 2 (Hall A)  
1, rue des Vergers  
69760 Limonest  
France  
Tel.: +33 4 72 52 05 40  
Fax: +33 4 72 52 05 49  
vikan@vikan.fr  
www.vikan.fr


**Vikan GmbH**  
Hagenauer Strasse 55  
65203 Wiesbaden  
Germany  
Tel.: +49 0611-23869671  
Fax: +49 0611-23869673  
thenriksen@vikan.com  
www.vikan.de

**Vikan AB**  
Box 10  
515 21 Viskafor  
Sweden  
Tel.: +46 (0)33 22 20 00  
Fax: +46 (0)33 22 20 20  
E-mail: vikan@vikan.se

**Vikan Swish AB**  
Box 4 - Rosdalavägen 13  
SE-360 71 Norrhult  
Sweden  
Tel.: +46 474 529 90  
Fax: +46 474 406 86  
E-mail: info@swish.se

**Kardell AB**  
Trädgårdsvägen 3-7  
748 50 Tobo  
Sweden  
Tel.: +46 (0)295 340 66  
Fax: +46 (0)295 340 63  
office@kardell.se  
www.kardell.se

**Vikan Estonia AS**  
Kingu tn. 1  
48105 Poltsamma  
Estonia  
Tel.: +372 77 62 460  
Fax: +372 77 62 461  
karwent@hotmail.ee







# Bacteria know no borders

One of the biggest challenges facing food companies is how to avoid bacterial degradation of the quality of the food. If there is cross-infection, where bacteria spread from one place in production to another, the result can be tainting of foods, which have already been produced.

It's therefore important to have a system which will ensure hygiene and food safety.



## Use colours to optimise cleaning

Vikan has developed a clear and simple colour coding system, which makes it easier to optimise the company's hygiene. All tools are available in five colours. Some of them in six colours. By using coloured cleaning tools in defined departments or production sections, users can quickly see where the tools may be used, making it easier to avoid moving tools from one colour zone to another.



## Fully colour-coded tools

Vikan is the only company in the world making fully colour-coded professional cleaning tools. Both the filaments and the base are in the same colour. The colour of each tool is thus clearer, minimising the possibility of error. And if an accident should happen, its cause can be traced with extreme ease.

A critical control point in the HACCP system is cleaning, and in our experience the HACCP system can be improved by optimal planning of the cleaning. If the company is already using the HACCP system, it's a good idea to supplement it with colour-coded cleaning implements.




There are several advantages:

- Focus is placed on cleaning as a critical control point.
- Cleaning is made more efficient and more economical.
- The risk of cross-contamination is minimised.

We can prepare tailor-made cleaning plans as a part of the Vikan hygiene system®. Given a general overview of the areas to be cleaned, we can designate fixed cleaning zones and colour codes, and specify how the chosen cleaning tools should be placed.

The advantage of such a plan is first and foremost that the risk of cross-infection via contaminated cleaning tools is minimised. The plan will then ensure that cleaning is more efficient

because the employees always have the correct tool at hand. And finally, we have found that the individual cleaning tool lasts longer when it is cleaned after use and placed on a wall hook until it is needed again. All in all, there are significant savings to be made by introducing colour control of cleaning in the production facilities.




## Professional hygiene consultants

Let our professional hygiene consultants review your production facilities. We will then give you a clear and simple plan for cleaning and a summary of the hygiene problems existing in connection with machinery and equipment. Our proposal for the right cleaning tools is based on this review.

The result is a complete colour control with a plan of the production areas and a summary of the cleaning tools required in each individual cleaning zone. We can also help with the implementation of the plan and the training of employees in the tools and their use.

The Vikan hygiene system® will give you control of hygiene and cleaning costs.





Art. no.	Bristles Type	Dimensions mm	Material	Bristle Length	Quantity per Box	Characteristics/Application	Temp. °C
<b>Brooms</b>							
2914	Stiff	300x40x270 mm	Polyester	170 mm	10	Reaches narrow places. Angle cut broom	121°
3104	Soft	235x34x179 mm	Polyester	75 mm	10	For sweeping flagstone floors and corners	121° •
<b>Floor Brooms</b>							
2915	Stiff	300x69x177 mm	Polyester, 15 rows	109 mm	8	Broom with stiff bristles.	121° •▲
2920	Stiff	465x69x177 mm	Polyester, 20 rows	109 mm	4		121° •
7066	Soft-split	300x69x127 mm	Polypropylene	59 mm	8	In dry areas only. For sweeping fine particles.	100° •*
7068	Medium	300x69x131 mm	Polyester	63 mm	8	For sweeping medium particles in damp environments	100° •
<b>Brooms</b>							
3174	Soft-stiff	400x46x130 mm	Polyester	58 mm	10	Combination broom. The front stiff bristles loosen the dirt and	121° •▲
3194	Soft-stiff	600x45x135 mm	Polyester	60 mm	10	the soft rear bristles do the sweeping	121°
3178	Soft-split	400x46x130 mm	Polypropylene	58 mm	10	Hygiene broom	100° •*
3179	Medium	400x48x125 mm	Polyester	60 mm	10	For sweeping medium particles	121° •
3199	Medium	590x45x130 mm	Polyester	57 mm	10	For sweeping medium particles.	121°

\* Split filaments do not fulfil the demands in the Hygiene charter.

#### Ordering Products


Add one of these colour numbers at the end of the above product numbers when ordering.

  +2
   +3
   +4
   +5
   +6
   +9

• Fully colour coded

▲ Also available in black





Art. no.	Bristles Type	Dimensions mm	Material	Bristle Length	Quantity per Box	Characteristics/Application	Temp. °C
<b>Deck Scrubs</b>							
7044	Stiff	230x70x110 mm	Polyester	45/35 mm	6	Deck scrub with 2 different filament lengths.	121°
7047	Medium	245x145x110 mm	Polyester	45 mm	4	Angular scrubber, particularly for corners and for cleaning floors beneath equipment with limited floor clearance.	121° •
<b>Deck Scrubs - Waterfed</b>							
7041	Stiff	270x65x100 mm	Polyester	25 mm	10	Deck scrub with very stiff and short bristles. Wide spread angle filaments	121° •
7043	Medium	270x65x100 mm	Polyester	33 mm	10	Wall Washing Brush with longer filaments than 7041. Wide spread angle filaments.	121° •
<b>Deck Scrubs</b>							
7060	Stiff	300x70x115 mm	Polyester	45 mm	16	Wide deck scrub.	121° • ▲
7061	Medium	300x70x115 mm	Polyester	45 mm	16	Wide deck scrub.	121° •
7062	Stiff	470x70x110 mm	Polyester	43 mm	8	Deck scrub for large areas.	121° •
7063	Medium	470x70x110 mm	Polyester	43 mm	8	Deck scrub for large areas.	121° •


### Ordering Products

Add one of these colour numbers at the end of the above product numbers when ordering.

■ +2 
 ■ +3 
 ■ +4 
 ■ +5 
 ■ +6 
 ■ +9

• Fully colour coded

▲ Also available in black



Art. no.	Bristles Type	Dimensions mm	Material	Bristle Length	Quantity per Box	Characteristics/Application	Temp. °C
<b>Ergonomic Hand Brushes</b>							
4167	Soft	325x65x70 mm	Polyester	50 mm	6	Suitable for cleaning machines.	121° *
4169	Stiff	325x65x70 mm	Polyester	35 mm	6	With water retaining filaments and ergonomic handle	121°
<b>Short Handled Brushes</b>							
4187	Medium	245x70x50 mm	Polyester	34 mm	10	For cleaning in the food processing and catering industry.	121° •
4189	Stiff	245x70x50 mm	Polyester	34 mm	10	For cleaning in the food processing and catering industry.	121° •▲
4195	Stiff	270x20x45 mm	Polyester	32 mm	10	Narrow special brush for such tasks as cleaning fish.	100°
<b>Short Handled Brush with Spread Angle Filaments</b>							
4193	Soft	245x70x70 mm	Polyester	53 mm	10	The very soft bristles are perfect for stainless steel surfaces	121° •*
<b>Waterfed Brushes</b>							
7056	Stiff	350x45x55 mm	Polyester	25 mm	10	With Gardena coupling.	121°
7056Q	Stiff	350x45x55 mm	Polyester	25 mm	10	With 1/2" metal coupling.	121°

\* Split filaments do not fulfil the demands in the Hygiene charter.

#### Ordering Products

Add one of these colour numbers at the end of the above product numbers when ordering.

■ +2 
 ■ +3 
 ■ +4 
 ■ +5 
 ■ +6 
 ■ +9

• Fully colour coded

▲ Also available in black





Art. no.	Bristles Type	Dimensions mm	Material	Bristle Length	Quantity per Box	Characteristics/Application	Temp. °C
<b>Round Hand Scrub Brushes</b>							
3883	Medium	Ø125x95 mm	Polyester	44 mm	15	Effective scrubbing tool with ergonomic shape.	121° •
3885	Stiff	Ø120x95 mm	Polyester	44 mm	15		121° •
<b>Hand Scrub Brushes</b>							
3887	Medium	185x65x53 mm	Polyester	33 mm	15	Hand scrub brush for a variety of cleaning tasks.	121° •
3889	Stiff	185x65x53 mm	Polyester	33 mm	15	Hand scrub brush for a variety of cleaning tasks.	121° •
3892	Stiff	200x70x60 mm	Polyester	33 mm	15	Very solid hand scrub brush with extra long bristles at both ends.	121° •
3587	Soft	170x50x45 mm	Polyester	26 mm	15	Small, efficient multifunctional brush with integrated eyelet for convenient storage.	121° •
<b>Nail Brush</b>							
6440	Stiff	118x45x38 mm	Polyester	15 mm	25	The most solid nail brush on the market	121° •▲
<b>Pad Holder</b>							
5510		230x95x80 mm	Polypropylene		10	Hooks ensure that the pad is fixed securely	121° •
<b>Pads</b>							
5523		245x125x23 mm	Hard/brown		10	Cleaning pad - ideal for most jobs.	100°
5524		245x125x23 mm	Medium/blue		10	Cleaning pad - ideal for most jobs.	100°
5525		245x125x23 mm	Fine/white		10	Cleaning pad - non abrasive pad is required.	100°

### Ordering Products

Add one of these colour numbers at the end of the above product numbers when ordering.

+2
  +3
  +4
  +5
  +6
  +9

• Fully colour coded

▲ Also available in black








7037

7035

7039

7067

5500



No.1 in Food Safety

Art. no.	Bristles Type	Dimensions mm	Material	Bristle Length	Quantity per box	Characteristics/Application	Temp. °C
<b>Pad Holder</b>							
5500		230x95x120 mm	Polypropylene		10	White floor model. Hooks ensure pad is fixed securely.	121° •
<b>Pads</b>							
5523		245x125x23 mm	Hard/brown		10	Cleaning pad - ideal for most jobs.	100°
5524		245x125x23 mm	Medium/blue		10	Cleaning pad - ideal for most jobs.	100°
5525		245x125x23 mm	Fine/white		10	Cleaning pad - ideal for delicate jobs.	100°
<b>Angle Adjustable Brush</b>							
7067	Soft	190x70x147 mm	Polyester	44 mm	4	Is adjustable and waterfed. Retains water and fits into a bucket.	121° •*
<b>Cylinder Head Brushes for Handles</b>							
7035	Medium	120-Ø135 mm	Polyester	33 mm	8	Cylinder shaped brush. For cleaning of tubes and containers.	121°
<b>Tank Brushes</b>							
7037	Stiff	210x135x95 mm	Polyester	40 mm	8	For cleaning of tanks and containers.	121° •▲
7039	Medium	210x135x95 mm	Polypropylene	40 mm	8	For cleaning of tanks and containers.	100° •

\* Split filaments do not fulfil the demands in the Hygiene charter.

## Ordering Products

Add one of these colour numbers at the end of the above product numbers when ordering.

■ +2 ■ +3 ■ +4 ■ +5 ■ +6 ■ +9

• Fully colour coded

▲ Also available in black






4588



4582





Art. no.	Bristles Type/Colour	Dimensions mm	Material	Bristle Length	Quantity per Box	Characteristics/Application	Temp. °C
<b>Baker's Brushes</b>							
4582	Soft	310x95x32 mm	Polyester	60 mm	10	Suitable for sweeping fine particles, eg flour.	121° •
4586	Soft	350x45x110 mm	Polyester	45 mm	15	Hand brush for fine particles, can be cleaned	121° • ▲
4588	Medium	350x45x110 mm	Polyester	45 mm	15	in a dishwashing machine.	121° •
<b>Pastry Brushes</b>							
555030	Soft/white	30x10x185 mm	Polyester	50 mm	10	Meat and pastry brush.	121° □
5550303	Soft/blue	30x10x185 mm	Polyester	50 mm	10	Meets the high demands made of tools used in	121° □
555050	Soft/white	50x10x190 mm	Polyester	50 mm	10	the food processing industry, where the tools	121° □
5550503	Soft/blue	50x10x190 mm	Polyester	50 mm	10	are in direct contact with food products.	121° □
555070	Soft/white	70x10x195 mm	Polyester	50 mm	10		121° □
5550703	Soft/blue	70x10x195 mm	Polyester	50 mm	10		121° □

#### Ordering Products

Add one of these colour numbers at the end of the above product numbers when ordering.

■ +2 
 ■ +3 
 ■ +4 
 ■ +5 
 ■ +6 
 ■ +9 
 • Fully colour coded 
 □ Only available in white and blue. 
 ▲ Also available in black



Art. no.	Bristles Type	Dimensions mm	Material	Bristle Length	Quantity per Box	Characteristics/Application	Temp. °C
<b>Tube Cleaners for flexible Rods</b>							
5356	Medium	205xØ60x170 mm	Polyester	28 mm	12	Brush for flexible rod.	121° •
5354	Stiff	190xØ12x170 mm	Polyester	5 mm	10	Brush for flexible rod.	121° •
<b>Flexible Rods</b>							
5345		Ø6x1500 mm	Stainless steel		10	Extension handle for use with 5350 and 5354 or 5356.	121°
5350		Ø6x1500 mm	Stainless steel		10	For cleaning inside long curved tubes.	121°
5352		Ø6x1500 mm	Nylon		10	For cleaning inside long curved tubes.	121°
<b>Tube and Bottle Cleaners</b>							
5375	Stiff	500xØ10x150 mm	Polyester	3 mm	15	Tube and bottle cleaner for the food processing industry.	121° •
5376	Stiff	500xØ20x110 mm	Polyester	9 mm	15	Tube and bottle cleaner for the food processing industry.	121° •
5378	Medium	500xØ40x110 mm	Polyester	17 mm	15	Tube and bottle cleaner for the food processing industry.	121° •
5379	Medium	500xØ50x110 mm	Polyester	23 mm	15	Tube and bottle cleaner for the food processing industry.	121° •
5370	Soft	500xØ60x150 mm	Polyester	27 mm	15	Tube and bottle cleaner or the food processing industry.	121° •

#### Ordering Products

Add one of these colour numbers at the end of the above product numbers when ordering.

■ +2
 ■ +3
 ■ +4
 ■ +5
 ■ +6
 ■ +9
 • Fully colour coded




Art. no.	Bristles Type	Dimensions mm	Material	Bristle Length	Quantity per Box	Characteristics/Application	Temp. °C
<b>Tube Brush for External Cleaning</b>							
5374	Medium	Ø60/510x200 mm	Polyester	25 mm	5	Angle adjustable and flexible brush head that makes it possible to clean surfaces of different forms and sizes. Only available in blue.	100°
5371	Soft	Ø120/510x200 mm	Polyester	55 mm	5	Removes dust from the top sides of piping, cornices or similar items. For dry cleaning. Only available in blue.	100°
<b>Tube Cleaners for Handles</b>							
538050	Stiff	140xØ50 mm	Polyester	10 mm	15	Purpose made fits all types of Vikan handles.	121°
538063	Stiff	150xØ63 mm	Polyester	11 mm	15	Tests show that the time spent on the cleaning of meat	121°
538077	Stiff	155xØ77 mm	Polyester	24 mm	15	mincers is reduced and hygiene is at a consistently	121° ▲
538090	Stiff	160xØ90 mm	Polyester	30 mm	12	high level when using the correct tube cleaner.	121° ▲
5380103	Stiff	170xØ105 mm	Polyester	37 mm	12		121° ▲
<b>Meat Mincer Brushes</b>							
7033	Stiff	480xØ90 mm	Polyester	30 mm	15	For cleaning of meat mincers.	121° •
<b>Mini Handle</b>							
2934		165xØ32 mm	Polypropylene		20	Fits all equipment made for handles.	100° •

#### Ordering Products

Add one of these colour numbers at the end of the above product numbers when ordering.

■ +2 
 ■ +3 
 ■ +4 
  +5 
 ■ +6 
 ■ +9 
 • Fully colour coded 
 ▲ Also available in black





**No.1 in Food Safety**

Art. no.	Dimensions mm	Material	Quantity per box	Characteristics/Application	Temp. °C	
<b>Scrapers for Handles</b>						
2912	270x33x235 mm	Nylon	10	Safe to use on floors and machines.	121°	□
2910	280x33x220 mm	Polypropylene/stainless steel	10	For removing stubborn dirt from tables and floors.	121°	•
<b>Mixer</b>						
7007	250x50x900 mm	Nylon	1	Suitable for stirring in wok and large pots. Heatresistant up till 170°	170°	□
7009	300x50x1200 mm	Nylon	1	Suitable for stirring in wok and large pots. Heatresistant up till 170°	170°	□
7010	250x50x1200 mm	Polypropylene	1	Suitable for stirring in wok and large pots.	100°	□
7012	250x50x1200 mm	Polypropylene	1	Suitable for stirring in wok and large pots. Comes with holes.	100°	□
<b>Paddle Scraper Blades</b>						
7011	112x30x220 mm	Nylon	20	Fits all Vikan handles.	121°	□
7013	112x30x220 mm	Polyethylene	20	Flexible blade for curved surfaces.	100°	□
7015	112x30x225 mm	Polypropylene/rubber	20	Suitable for emptying containers.	100°	•
<b>Hand Scrapers</b>						
4050	240x90x80 mm	Polypropylene/stainless steel	20	Suitable for cleaning cookers and grill plates.	100°	□
4055	240x90x80 mm	Polypropylene/nylon	20	For removing stubborn dirt from tables etc.	100°	•
<b>Squeegees</b>						
7074	600x113x70 mm	Stainless steel/neoprene	1	Suitable for cleaning in slaughterhouses.	121°	□
7075	600x5x40 mm	Neoprene	1	Replacement blade for 7074.	121°	□

#### Ordering Products

Add one of these colour numbers at the end of the above product numbers when ordering.

■ +2 
 ■ +3 
 ■ +4 
 ■ +5 
 ■ +6 
 ■ +9 
 • Fully colour coded 
 □ Only available in white




Art. no.	Dimensions mm	Material	Quantity per box	Characteristics/Application	Temp. °C	Art. no. Replacement Rubber	
Squeegees with Revolving Neck							
054025	400x55x115 mm	Reinforced	10	The revolving neck ensures quick and	100°	054035 White	054030 Black
055025	500x55x115 mm	polypropylene with	10	effective cleaning of inaccessible places.	100°	055035 White	055030 Black
056025	600x55x115 mm	sponge rubber	10	Blade replacement is easy and hygienic	100°	056035 White	056030 Black
057025	700x55x115 mm		10	with the “quick fit” replacement cassette, which does not require the use of any tools.	100°	057035 White	057030 Black
Hand Squeegee							
4767	240x40x225 mm	Polypropylene with sponge rubber	20	Removal of water from tables and other surfaces.	100°		

#### Ordering Products

Add one of these colour numbers at the end of the above product numbers when ordering.

■ +2 
 ■ +3 
 ■ +4 
  +5 
 ■ +6 
 ■ +9





Art. no.	Dimensions mm	Material	Quantity per box	Characteristics/Application	Temp. °C
<b>Ultra Hygienic Floor Squeegee</b>					
7070	400x40x95 mm	Reinforced polypropylene and rubber	15	Ultra hygienic floor squeegee without holes or crevice	121° •
7071	500x40x95 mm	Reinforced polypropylene and rubber	15	where bacteria can accumulate.	121° •
7072	600x40x95 mm	Reinforced polypropylene and rubber	15		121° •
7073	700x40x95 mm	Reinforced polypropylene and rubber	15		121° •
<b>Ultra-hygienic Floor Squeegee with Revolving neck</b>					
7076	400x40x140 mm	Reinforced polypropylene and rubber	15	Ultra hygienic floor squeegee without holes or crevice	121° •
7077	500x40x140 mm	Reinforced polypropylene and rubber	15	where bacteria can accumulate.	121° •
<b>Ultra Hygienic Table Squeegee</b>					
4769	270x37x205 mm	Reinforced polypropylene and rubber	20	The New one-piece squeegee integrates a rubber blade with a reinforced polypropylene body. Especially suitable for use in high-risk areas. The hand squeegee can be used where the 40cm squeegee is too big for example the removal of water from table surfaces.	121° •

#### Ordering Products

Add one of these colour numbers at the end of the above product numbers when ordering.

■ +2 
 ■ +3 
 ■ +4 
 ■ +5 
 ■ +6 
 ■ +9 
 • Fully colour coded





7086



7084



7082



7080



**Vikan hygiene system®**

7086

7084

7082

7080


**No.1 in Food Safety**

Art. no.	Dimensions mm	Material	Quantity per Box	Characteristics/Application	Temp. °C	Art. no. Replacement Rubber	
Squeegees							
7080	400x50x100 mm	Reinforced polypropylene	12	Very durable, solid and	100°	054035 White	054030 Black
7082	500x50x100 mm	with sponge rubber	12	long-lasting.	100°	055035 White	055030 Black ▲
7084	600x50x100 mm		12		100°	056035 White	056030 Black
7086	700x50x100 mm		12		100°	057035 White	057030 Black

#### Ordering Products

Add one of these colour numbers at the end of the above product numbers when ordering.

■ +2 
 ■ +3 
 ■ +4 
 ■ +5 
 ■ +6 
 ■ +9 
 ▲ Also available in black




Art. no.	Dimensions/mm (1,2 mm aluminium wall thickness)	Material	Quantity per Box	Characteristics/Application	Temp. °C
<b>Ergonomic Handles - Aluminium</b>					
2935	1300xØ33-42 mm	Anodised aluminium	10	Ergonomic handles with varying diameter	100° •
2937	1500xØ33-42 mm	Anodised aluminium	10	along the handle to ensure a firm, but comfortable grip.	100° •▲
2981	650xØ33 mm	Anodised aluminium	10		100° •
<b>Ergonomic Handles - Fibreglass</b>					
2936	1300xØ33-42 mm	Fibreglass	10	Ergonomic handles with varying diameter	100° •
2938	1500xØ33-42 mm	Fibreglass	10	along the handle to ensure a firm, but comfortable grip.	100° •
2972	1700xØ33-42 mm	Fibreglass	10		100° •
<b>Extension handles</b>					
2932	1000xØ33 mm	Anodised aluminium	4	Often used for tube cleaners with screw thread. Only use inside the tubes. Can be used as extensions until you reach the desired length.	100°
<b>Telescopic Handle</b>					
2925	1300-1900xØ35 mm	Anodised aluminium	5	Ergonomic handle. Only available in white.	100°

### Ordering Products

Add one of these colour numbers at the end of the above product numbers when ordering.

■ +2 
 ■ +3 
 ■ +4 
 ■ +5 
 ■ +6 
 ■ +9 
 • Fully colour coded 
 ▲ Also available in black



Art. no.	Dimensions/mm (1,2 mm aluminium wall thickness)	Material	Quantity per Box	Characteristics/Application	Temp. °C
<b>Ergonomic Telescopic Handles</b>					
2977	2100-5860xØ40 mm	Fibreglass	1	For high level cleaning. Only available in grey.	100°
2975	1675-2925xØ35 mm	Anodised aluminium	2	Ergonomically correct handle.	100° ●▲
<b>Ergonomic Telescopic Handles - waterfed</b>					
2973	1675-2970xØ35 mm	Anodised aluminium	2	Ergonomic telescoping handle. Waterfed. With 1/2" / 3/4" hose connector.	100° ●*
2973Q	1675-2970xØ35 mm	Anodised aluminium	2	Ergonomic telescoping handle. Waterfed With 1/2" metal coupling.	100° ●*
<b>Ergonomic - waterfed</b>					
2991	1600xØ31 mm	Anodised aluminium	10	Suitable for tanks and walls. With 1/2" / 3/4" hose connector.	100° ●*
2991Q	1600xØ31 mm	Anodised aluminium	10	Suitable for tanks and walls. With 1/2" metal coupling.	100° ●*
<b>Ergonomic Handles - Stainless Steel</b>					
2939	1500xØ33-42 mm	Stainless steel	5	Ergonomic handles with varying diameter.	100° ●
2983	1000xØ31 mm	Stainless steel	5		100° ●

\*We recommend max. 50° C hot water through the handle.

#### Ordering Products

Add one of these colour numbers at the end of the above product numbers when ordering.

■ +2 
 ■ +3 
 ■ +4 
  +5 
 ■ +6 
 ■ +9 
 ● Fully colour coded 
 ▲ Also available in black





Art. no.	Length	Dim. pan.	Material	Quantity per box	Characteristics/Application	Weight	Temp. °C
<b>Ergonomic Shovels</b>							
5600	1150 mm	380x340x90 mm	Polypropylene	1	An impact-proof shovel, which is suitable for use in connection with food products.	1,675 kg	100° •
5601	1300 mm	380x340x90 mm	Polypropylene	1	Ergonomic design to minimise back strain.	1,84 kg	100° •▲
5610	1150 mm	330x270x75 mm	Polypropylene	1		1,555 kg	100° •
5611	1300 mm	330x270x75 mm	Polypropylene	1		1,72 kg	100° •
<b>Ergonomic Shovel with drain holes for water</b>							
5603	1150 mm	380x340x90 mm	Polypropylene	1	The shovel is designed to drain excess water or ice in industries for example the fishing industry	1,555 kg	100° •
5604	1300 mm	380x340x90 mm	Polypropylene	1		1,72 kg	100° ▲
<b>Ergonomic Hygiene Fork</b>							
5690	1270 mm	315x270x120 mm	Polypropylene	1	Super hygienic fork, which is designed to move large quantities of foodstuffs. Suitable for use in various industries for example the production of wine, meat and poultry.	1,45 kg	100° □
<b>Ergonomic Hygiene Rake</b>							
5691	200 mm	200x200x156 mm	Polypropylene	1	Super hygienic rake, which is designed to move large quantities of foodstuffs towards you. For use in the wine industry, but is also very useful in other industries like meat, and poultry production etc.	0,415 kg	100° □

#### Ordering Products

Add one of these colour numbers at the end of the above product numbers when ordering.

■ +2 
 ■ +3 
 ■ +4 
  +5 
 ■ +6 
 ■ +9 
 • Fully colour coded 
 ▲ Also available in black 
 □ Only available in white



Art. no.	Dimensions mm	Volume	Material	Quantity per box	Characteristics/Application	Temp. °C
<b>Ergonomic Scoops</b>						
5670	360x160x95 mm	2 L	Polypropylene	12	A solid scoop with a scraping edge.	100° •
5675	330x120x75 mm	1 L	Polypropylene	12	A solid scoop with a scraping edge.	100° •
5680	335x190x123 mm	2 L	Polypropylene	10	A round scoop with measuring gradients.	100° •
5685	325x180x85 mm	1 L	Polypropylene	12	Scoop/mixing bowl with ergonomic handle and measurement indicator marks.	100° •
<b>Ergonomic Dustpan</b>						
5660	295x100x320 mm		Polypropylene	10	A solid dustpan which fits closely to the surface.	100° •▲
<b>Bucket</b>						
0210	Ø290x310 mm	10 L	Polyethylene	5	Strong hygienic bucket with stainless steel handle. -15°C – +60°C.	60° •

#### Ordering Products

Add one of these colour numbers at the end of the above product numbers when ordering.

■ +2 
 ■ +3 
 ■ +4 
  +5 
 ■ +6 
 ■ +9 
 • Fully colour coded 
 ▲ Also available in black



**No.1 in Food Safety**

Art. no.	Dimensions mm	Material	Quantity per Box	Characteristics/Applications	Temp. °C
<b>Wall Bracket Systems</b>					
0600	910x115x65 mm	3 large & 6 small hooks, 2 large clips for handles.	1	Durable bracket system to keep your	100°
0605	470x115x65 mm	4 small hooks, 2 large for handles.	1	cleaning tools hygienic and in order.	100°
0610	247x115x65 mm	2 small hooks, 1 large for handles.	1		100°
0615	238x160x60 mm	Glass-fibre/polypropylene	1	A universal grip provides correct and safe storage og tools and equipment.	100° ●▲
0691		Hooks / small.	30	To be placed in the wall bracket system.	100° □
0692		Hooks/ large.	20	To be placed in the wall bracket system.	100° □
0694		End caps with screws, polypropylene	10	To be screwed on the end of the wall brackets.	100° □
0696		Hooks/ large for handles.	20	To be placed in the wall bracket system.	100° □
0698		Hooks/ large for handles.	20	To be screwed directly in the wall.	100° □

### Ordering Products

Add one of these colour numbers at the end of the above product numbers when ordering.

■ +2 
 ■ +3 
 ■ +4 
 ■ +5 
 ■ +6 
 ■ +9 
 • Fully colour coded 
 □ Only available in white 
 ▲ Also available in black





Art. no.	Bristles Type	Dimensions	Material	Bristle Length	Quantity per Box	Characteristics/ Application	Temp. °C
<b>Hoses</b>							
0702		15 m	Reinforced PVC		1	With 3 couplings, article no. 0700, 0701 and 0703. Can be cleaned at 60° with a pressure of 8 bar.	60°
<b>Trigger Operated Water Guns</b>							
0704			Polyoxy methylene. Chromium-plated brass		1	Fits hose, 0702. Can be cleaned at max. 60° C with a pressure of 6 bar.	60°
0711			Brass, stainless steel, rubber		1	Our well-known rugged and thoroughly tested gun.	60° ▲
<b>Couplings</b>							
0700		1/2" and 3/4"	Chromium-plated brass		1	Tap coupling. Max. pressure 10 bar.	-30° – +100°
0701		1/2"	Chromium-plated brass		1	Hose coupling. Max. pressure 10 bar.	-30° – +100°
0703		1/2"	Chromium-plated brass		1	Automatic water tight coupling. Max. pressure 10 bar.	-30° – +100°
0705		1/2"	Chromium-plated brass		1	To be used connecting 2 hoses. Male/Male coupling. Max. pressure 10 bar.	-30° – +100°
0706		1/2"	Chromium-plated brass		1	Swivel coupling.	-30° – +100°
0712		1/2"	Chromium-plated brass		1	Coupling between 0711 gun and hose.	-30° – +100°
0715		3/4"	Chromium-plated brass		1	Quick coupling.	-30° – +100°
0716		3/4"	Chromium-plated brass		1	Hose coupling.	-30° – +100°
0717		3/4"	Chromium-plated brass		1	Adapter coupling.	-30° – +100°
<b>Professional Toilet Brush</b>							
5051	Stiff	700 mm	Polypropylene/Polyester	30 mm	6	Ergonomically correct length. Incl. fitting for wall mounting. Only blue.	100°
<b>Drain Cleaning Brush</b>							
5360	Medium	150x293xØ15 mm	Polypropylene/Polyester	5 mm	15	Suitable for cleaning holes in drains in eg. hospitals. Only blue and black.	100°

#### Ordering Products

Add one of these colour numbers at the end of the above product numbers when ordering.

■ +2 
 ■ +3 
 ■ +4 
  +5 
 ■ +6 
 ■ +9 
 • Fully colour coded 
 ▲ Also available in black



*No.1 in Food Safety*

Art no.	Type	Dimensions	Material	Brush length	Quantity per Box	Characteristics/Application	Temp. °C
<b>Brooms Resin-set</b>							
2922	Stiff	470x70x125 mm	Polyester	50 mm	8	Suitable for sweeping large quantities of dirt.	121°
7045	Soft	290x65x135 mm	Polyester	55 mm	10	The long soft bristles are suitable for sweeping uneven floors with dust and light particles.	121°
7046	Stiff	290x65x110 mm	Polyester	35 mm	10	Suitable for sweeping large quantities of dirt.	121°
<b>Hand scrubbing brushes Resin-set</b>							
3893	Stiff	185x60x53 mm	Polyester	35 mm	10	Powerful hand scrubbing brush.	121°
<b>Bench brushes Resin-set</b>							
4551	Stiff	248x40x60 mm	Polyester	45 mm	12	Short bench brush with stiff filaments	121°
4558	Medium	248x40x85 mm	Polyester	70 mm	12	Short bench brush with soft filaments	121°
4559	Stiff	350x40x65 mm	Polyester	45 mm	12	Long bench brush with stiff filaments	121°
4557	Medium	350x40x85 mm	Polyster	70 mm	12	Long bench brush with soft filaments	121°
<b>Churn brushes Resin-set</b>							
4188	Stiff	250x70x60 mm	Polyester	45 mm	10	Short, stiff churn brush	121°
4180	Stiff	400x64x60 mm	Polyester	45 mm	15	Long handled churn brush, stiff	121°

Fits all ergonomic hygiene handles.

#### Ordering Products

Add one of these colour numbers at the end of the above product numbers when ordering.

+2
 +3
 +4
 +5
 +6
 +9



Products which are hung up are more hygienic and last longer.



The brush has been used in a place where the filaments became stuck and were pulled out – the product should be replaced.



The filaments are tangled together because of long-term use – the product should be replaced.



The sponge rubber is wearing, becoming softer and starting to become porous. The product must be replaced when this occurs.

## Hygiene tools and their treatment

Hygiene tools can be used in all places where the production requires a very high level of hygiene in all phases. The tools used in such places must be of a very special quality. And with such tools, you can specify the following requirements with advantage:

- They must be able to tolerate autoclaving at 121°C
- They must be able to tolerate all approved cleaning agents
- They must be made of materials which reduce the quantity of bacteria moved with the product
- They must be easy to clean
- They must dry quickly
- They must be durable
- They must promote a sound ergonomic work flow
- They must be replaceable without major costs.

### The right choice of materials

Not all materials can be used in the food industry. Materials such as wood and animal hair cannot be used because they do not tolerate disinfecting. Micro-organisms can “hide” in these materials and be transported from one place to another, causing cross-contamination.

Even if the tools are made of synthetic material, you cannot be sure of the quality. Try to judge the tool's weight. This can reveal whether plastic with air bubbles in the material was used. If this is the case, the tool can be practically impossible to clean after use. A single scratch in the surface opens up thousands of hiding places for micro-organisms.

The filaments must be securely fixed and be able to recover their shape. Polyester is a good choice. Tools are often exposed to high temperatures and caustic chemicals, and it is important that they tolerate these.

When you buy a Vikan hygiene system® product, you can be sure that all these factors have been taken into consideration.


### When is it time to replace the tools?

- When the filaments are so entangled that particles can adhere to them.
- When the filaments are so discoloured that after cleaning, they do not regain their original colour and it's difficult to see what's dirt and what's not.
- When the base is so damaged that bacteria can more easily adhere to it.
- When the shaft is broken or cracked.
- When the filaments are worn or have been caught in something, increasing the risk of loose filaments.
- When the law specifies that the tools must be replaced after a suitable interval or if there may be a risk to our food



# Index:

Art. no.	Page no.	Art. no.	Page no.	Art. no.	Page no.	Art. no.	Page no.
<b>Brooms</b>		<b>Ergonomic Utility Brush</b>		<b>Hand Scrapers</b>		<b>Ergonomic Scoops</b>	
2914	6	3088	10	4050	15	5670	22
3104	6	<b>Pad Holder</b>		4055	15	5675	22
<b>Floor Brooms</b>		5500	11	<b>Squeegees</b>		5680	22
2915	6	<b>Pads</b>		7074	15	5685	22
2920	6	5523	11	<b>Squeegees with Revolving Neck</b>		<b>Ergonomic Dustpan</b>	
<b>Brooms</b>		5524	11	054025	16	5660	22
3174	6	5525	11	055025	16	<b>Hygiene bucket</b>	
3194	6	<b>Angle Adjustable Brush</b>		056025	16	0210	22
3178	6	7067	11	057025	16	<b>Wall Bracket Systems</b>	
3179	6	<b>Cylinder Head Brushes for Handles</b>		<b>Hand Squeegee</b>		0600	23
3199	6	7035	11	4767	16	0605	23
<b>Deck Scrubs</b>		<b>Tank Brushes</b>		<b>Ultra Hygienic Floor Squeegee</b>		0610	23
7044	7	7037	11	7070	17	0615	23
7047	7	7039	11	7071	17	0691	23
<b>Deck Scrubs - Waterfed</b>		<b>Baker's Brushes</b>		7072	17	0692	23
7041	7	4582	12	7073	17	0694	23
7043	7	4586	12	<b>Ultra Hygienic Floor Squeegee with Revolving neck</b>		0696	23
<b>Deck Scrubs</b>		4588	12	7076	17	0698	23
7060	7	<b>Pastry Brushes</b>		7077	17	<b>Hoses</b>	
7061	7	555030	12	<b>Ultra Hygienic Table Squeegee</b>		0702	24
7062	7	5550303	12	4769	17	<b>Trigger Operated Water Guns</b>	
7063	7	555050	12	<b>Squeegees</b>		0704	24
<b>Ergonomic Hand Brushes</b>		5550503	12	7080	18	0711	24
4167	8	555070	12	7082	18	<b>Couplings</b>	
4169	8	5550703	12	7084	18	0700	24
<b>Short Handled Brushes</b>		<b>Tube Cleaners for Flexible Rods</b>		7086	18	0701	24
4187	8	5356	13	<b>Ergonomic Handles - Aluminium</b>		0703	24
4189	8	5354	13	2935	19	0705	24
4195	8	<b>Flexible Rods</b>		2937	19	0706	24
<b>Short Handled Brushes with Spread Angle Filaments</b>		5345	13	2981	19	0712	24
4193	8	5350	13	<b>Ergonomic Handles - Fibreglass</b>		0715	24
<b>Waterfed Brushes</b>		5352	13	2936	19	0716	24
7056	8	<b>Tube and Bottle Cleaners</b>		2938	19	0717	24
7056Q	8	5375	13	2972	19	<b>Professional Toilet Brush</b>	
<b>Round Hand Scrub Brushes</b>		5376	13	<b>Extension Handles</b>		5051	24
3883	9	5378	13	2932	19	<b>Drain Cleaning Brush</b>	
3885	9	5379	13	<b>Telescopic Handle</b>		5360	24
<b>Hand Scrub Brushes</b>		5370	13	2925	19	<b>Brooms – Resin Set</b>	
3887	9	<b>Tube Brushes for External Cleaning</b>		<b>Ergonomic Telescopic Handles</b>		2922	25
3889	9	5374	14	2977	20	7045	25
3892	9	5371	14	2975	20	7046	25
3587	9	<b>Tube Cleaners for Handles</b>		<b>Ergonomic Telescopic Handles – Waterfed</b>		<b>Hand Scrubbing brushes – Resin Set</b>	
<b>Nail Brush</b>		538050	14	2973	20	3893	25
6440	9	538063	14	2973Q	20	<b>Bench brushes – Resin Set</b>	
<b>Pad Holder</b>		538077	14	<b>Ergonomic – Waterfed</b>		4551	25
5510	9	538090	14	2991	20	4558	25
<b>Pads</b>		5380103	14	2991Q	20	4559	25
5523	9	<b>Meat Mincer Brush</b>		<b>Ergonomic Handles – Stainless Steel</b>		4557	25
5524	9	7033	14	2939	20	<b>Churn brushes – Resin Set</b>	
5525	9	<b>Mini Handle</b>		2983	20	4188	25
<b>Long Handled Brushes</b>		<b>Scrapers for Handles</b>		<b>Ergonomic Shovels</b>		4180	25
4183	10	2912	15	5600	21		
4185	10	2910	15	5601	21		
<b>Thermos Cleaner</b>		<b>Mixer</b>		5610	21		
5395	10	7007	15	5611	21		
<b>Meat Mincer Cleaner</b>		7009	15	<b>Ergonomic Shovel with drain holes for water</b>			
4184	10	7010	15	5603	21		
<b>Dish Brushes</b>		7012	15	5604	21		
4287	10	<b>Paddle Scraper Blades</b>		<b>Ergonomic Hygiene Fork</b>			
4237	10	7011	15	5690	21		
<b>Small Utility Brush</b>		7013	15	<b>Ergonomic Hygiene Rake</b>			
3087	10	7015	15	5691	21		
3089	10						



| Vikan A/S | Rævevej 1 | DK - 7800 Skive | Tlf. +45 9614 2600 |  
| Fax +45 9614 2655 | Email: vikan@vikan.com | www.vikan.com |



**Vikan**  
PROFESSIONAL  
CLEANING SOLUTIONS